

**THE UNIVERSITY OF CALGARY**  
DEPARTMENT OF MATHEMATICS AND STATISTICS  
**FINAL Handout**  
MATH 249-01

1. Evaluate the limits:

$$(a) \quad \lim_{x \rightarrow \pi} \frac{\cos\left(\frac{x}{2}\right)}{\pi - x} \quad (b) \quad \lim_{x \rightarrow -\infty} \frac{\cos\left(\frac{x}{2}\right)}{\pi - x} \quad (c) \quad \lim_{x \rightarrow 0^+} x \ln x$$

2. Find the domain and the derivative of  $f$  of

$$(a) \quad f(x) = \frac{x}{3} e^{-\sin\left(\frac{3}{x}\right)}$$

$$(b) \quad f(x) = \frac{\ln(2x - 3)}{e^{-x^2}}$$

3. **A**

Sketch the graph of  $y = \frac{1}{x^2 + x - 2}$  if  $y' = -\frac{2x + 1}{(x^2 + x - 2)^2}$  and  $y'' = \frac{6x^2 + 6x + 6}{(x^2 + x - 2)^3}$  i.e.

- (a) find the domain, range, vertical and horizontal asymptotes,  $x$  and  $y$  intercepts;
- (b) find the intervals where  $f$  is increasing or decreasing;
- (c) find the intervals where  $f$  is concave down or up

**3B**

Sketch the graph of  $y = x(4 - x)^3$ . Indicate where the function is increasing, decreasing, concave up, concave down; find the domain and range.

4. (a) Find the tangent approximation (linearization) of

$$f(x) = \frac{1}{\sqrt{2x^2 + 1}} \text{ around } x_0 = 2.$$

(b) Use it to estimate  $\frac{1}{\sqrt{3}}$ .

5. **A**

Sketch a graph of one function  $f$  satisfying all the following conditions:

- (a)  $f$  is defined for all  $x$ , continuous there except
- (b)  $f$  is discontinuous at  $x = 2, 4$  where  $\lim_{x \rightarrow 4^-} f(x) = f(4) = 0$ ,  $x = 2$  is a vertical asymptote.
- (c)  $y = 3$  is a horizontal asymptote and  $\lim_{x \rightarrow -\infty} f(x)$  does not exist,

- (d)  $f$  is increasing on  $(3, 4)$  and on  $(4, +\infty)$ ,  $f$  is decreasing on  $(0, 2)$  and on  $(2, 3)$ , and  $f'(x) = 0$  for all  $x \in (-2, 0)$ ;
- (e)  $f$  is concave up on  $(0, 1)$  and on  $(3, 4)$ ;  $f$  is concave down on  $(1, 2)$ , on  $(2, 3)$  and on  $(4, +\infty)$
- (f) absolute maximum value is 6, and local minimum value is  $-2$ .

**B**

Sketch a graph of one function  $f$  satisfying all the following conditions:

- (a)  $f$  is defined on  $(-\infty, 1)$ , continuous there except at  $-2, -4$ ;
- (b)  $f$  is discontinuous at  $x = -4$  where  $\lim_{x \rightarrow -4} f(x)$  DNE (does not exist)
- (c)  $x = -2$  is a vertical asymptote;  $y = 3$  is a horizontal asymptote;
- (d)  $f$  is increasing on  $(-3, -2)$  and on  $(-2, 0)$ ;  $f$  is decreasing on  $(-\infty, -4)$  and on  $(-4, -3)$  and  $f'(x) = 0$  for all  $x \in (0, 1)$ ;
- (e)  $f$  is concave up on  $(-4, -3)$  and on  $(-1, 0)$ ;  $f$  is concave down on  $(-\infty, -4)$ , on  $(-3, -2)$  and on  $(-2, -1)$ ;
- (f) absolute maximum value is 4, and local minimum value is  $-3$ .

6. **A**

A box with a square base(bottom) and a top(lid) has a volume of  $18 \text{ m}^3$ . Find the dimensions of the most economical box if the material for the base and lid costs \$2 per  $\text{m}^2$  and the material for the sides \$3 per  $\text{m}^2$ .

**B**

A landscape architect plans to enclose a  $280 \text{ m}^2$  rectangular region in a botanical garden. She will use shrubs costing \$25.00 per meter along three sides and fencing costing \$10.00 per meter along the fourth side. Find the dimensions of the region to minimize the total cost.

Draw a diagram and name the variables

7. Find (a) for  $x > 0$   $\int \frac{3\sqrt{x} - 5}{x\sqrt{x}} dx =$  (b)  $\int 2x^3 \sqrt{2x^2 + 3} dx.$

8. Evaluate (a)  $\int_2^3 x^{2x^2} dx$  (b)  $\int_0^1 \frac{4x + 3}{3 - 2x} dx.$