The University of Calgary Department of Mathematics and Statistics MATH 353 Quiz #5T 2pm

Winter	2006
www.cc	∠ ∪∪∪

Name:	I.D.#:	

- 1. Evaluate $\iint_S z \ y^2 dS$ and S is the part of the sphere $x^2 + y^2 + z^2 = 2$, above the xy-plane, and outside the cylinder $x^2 + y^2 = 1$.
- 2. Find $\iint_S \mathbf{F} \bullet \mathbf{dS}$ where $\mathbf{F}(x,y,z) = (y,xz,xyz)$ and S is the part of the plane x+y=2 in the first octant below the plane x+y+z=5 oriented in the direction of positive x..

SOLUTION

For 1)

$$S \text{ is given by } z = \sqrt{2 - x^2 - y^2} \text{ for } (x, y) \in D = \{1 \le x^2 + y^2 \le \sqrt{2}\}$$

$$\mathbf{n} = \left(\frac{x}{\sqrt{2 - x^2 - y^2}}, \frac{y}{\sqrt{2 - x^2 - y^2}}, 1\right) \qquad \|\mathbf{n}\| = \sqrt{\frac{x^2 + y^2}{2 - x^2 - y^2}} + 1 = \frac{\sqrt{2}}{\sqrt{2 - x^2 - y^2}}$$

$$\iint_S zy^2 \, dS = \iint_D y^2 \sqrt{2 - x^2 - y^2} \frac{\sqrt{2}}{\sqrt{2 - x^2 - y^2}} \, dxdy \text{ (polar)} = \sqrt{2} \iint_0^{2\pi} r^3 \sin^2 \theta \, drd\theta =$$

$$= \sqrt{2} \iint_1^{2\pi} r^3 \, dr \int_0^{2\pi} \frac{1 - \cos 2\theta}{2} d\theta = \sqrt{2} \left[\frac{r^4}{4}\right]_1^{\sqrt{2}} \pi = \frac{3\sqrt{2}}{4} \pi.$$

For 2)

S is vertical so parametrization $\mathbf{r}(u, v)$

$$x = u \qquad y = 2 - u \qquad z = v$$

$$x \ge 0, y \ge 0$$
 $u \in [0, 2]$ $0 \le v \le 5 - 2 = 3....R$

$$\frac{\partial}{\partial u}\mathbf{r}(u,v) = (1,-1,0)$$
 $\frac{\partial}{\partial v}\mathbf{r}(u,v) = (0,0,1)$

$$\mathbf{n} = \pm \left(\frac{\partial}{\partial u} \mathbf{r} \times \frac{\partial}{\partial v} \mathbf{r} \right) = (-1, -1, 0) \text{ or} (1, 1, 0) \dots \mathbf{x} \text{ pos}$$

F on S **F** = (2 - u, uv,) and **F** • $\mathbf{n} = 2 - u + uv$ then

$$\iint\limits_{S} \mathbf{F} \bullet \mathbf{dS} = \iint\limits_{R} \mathbf{F} \bullet \mathbf{n} \ du dv =$$

$$= \int_{0}^{2} \left(\int_{0}^{3} (2 - u + uv) dv \right) du = 12 - 3 \int_{0}^{2} u du + \int_{0}^{2} u du \left[\frac{v^{2}}{2} \right]_{0}^{3} = 6 + 2 \cdot \frac{9}{2} = 15.$$